

No. * 122935

Filed this 8th day of

December A.D. 1927

at 2:55 o'clock P.M.

Thurgood Marshall
Chief Clerk of the Court.

by Walter J. Smith
Chief Deputy.

201 \$ 2.00

File No.

T. 28 R. 10E

DUPLICATE

County. Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 13 1963

STATE ENGINEER

1. **Hubert Rustad** (Name of Appropriator) of **Box 973** (Address) **Livingston** (Town)
County of **Park** State of **Montana**
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 5 T. 28 R. 10E
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based
Domestic and stock watering
3. Date or approximate date of earliest beneficial use; and how continuous the use has been **2 wells since about 1900; and one since 1958. Used continuously.**
4. The amount of groundwater claimed (in miner's inches or gallons per minute) **Unknown**
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Hand dug wells, with electric pumps.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater **2 in 1900, and other in 1958.**
8. The depth of water table **About 5 feet.**
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Wells have various types of pipe, rock and tile. Wells are about 10 feet deep.
10. The estimated amount of groundwater withdrawn each year **Unknown**
11. The log of formations encountered in the drilling of each well if available **None**
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner *Hubert Rustad*Date **December 12, 1963.**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder, duplicate to the State Engineer, Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Rec. # 77520

Filed this 12th day
December A. D. 1 963
at 3.13 o'clock P. M.
Marquet Moncal
County Clerk and Recorder.
By T. J. Jones
Deputy.
for \$2.00

GW 2

File No.

DUPLICATE

T 18 R 9 E

County ParkSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER**Notice of Completion of Groundwater
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)


Double A Lumber Co., Livingston Division ofOwner **Denna Timber, Inc.** Address **Livingston, Montana**Driller **Jones Welding & Drilling Co.** Address **Bozeman, Montana**

Date of Notice of Appropriation of Groundwater

Date well started **Feb. 6, 1962** Date Completed **Feb. 8, 1962**Type of well **Drilled** Equipment Used **Churn Drill**
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
12"	10" ID	7'	28'	10" Double Lower	10'	28'



S.E. 1/4 Sec. 5 T. 2 S. R. 9 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well **10** feet.

Shut-in Pressure for Flowing Well

Pumping Water Level **28** feet at gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Length of Test

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) **11.21 above****surface to 10' below surface.**27
Driller's License Number*Milton E. Jones*
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Doc. # 91507

Filed this 21st day of

March A. D. 1962

at 11:30 a.m.

Margaret Monaghan
County Clerk and Recorder.

By Netty Jane Doe
Notary

fee \$ 2⁰⁰

File No.

T. 2 S. R. 10 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 20 1962

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Burkland Stude, Inc., of P. O. Box 498 Livingston,
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S.E. 1/4 Sec. 5 T. 2 S. R. 10 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Industrial
3. Date or approximate date of earliest beneficial use; and how continuous the use has been
Approx. 3 years steady
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5,000 gallons per hour
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
8. The depth of water table 18'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
10" x 30' drilled slots
10. The estimated amount of groundwater withdrawn each year 1,322,000 gallons
11. The log of formations encountered in the drilling of each well if available Gravel
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

BURKLAND STUDE, INC.

Signature of Owner

Date March 7 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

91508

Filed Jan 21st day of

March A. D. 1962

at 11:30 a.m. a.d.

Margaret Monical
County Clerk and Recorder.

Deputy.

Fee \$ 2.00

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner DARRALL LAMM
Address SHILOH ROUTE
LIVINGSTON MONT
Date well started 3-19-71
completed 3-20-71

For Administrator's Use
File 120562
MARCH 26, 1971
2:00 PM
GW 1

Type of well DRILL
(Dug, driven, bored or drilled)
Equipment used ROTARY
(Churn drill, rotary or other)
Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☐

*Describe
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 30,000 GAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>7 7/8</u>	<u>6" DIA</u>	<u>0</u>	<u>60</u>	<u>4 STOPS</u>	<u>50</u>	<u>60</u>

N
W
E
S
NW 1/4 SW 1/4 Sec. 5
T. 2 R. 10 E. W
S

Static water level 17 ft.
Pumping water level 25 ft.
at 25 gallons per minute,
measured 90 minutes after pumping began.

*Measured from ground level:
Well developed by BAILEY
for 3 hours.
Power N.A. Pump N.A. HP
Remarks: (Gravel packing, cementing, packers, type of shutoff) PACKING
0 17 FT CEMENT STOP
TAP

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature J. J. Lane

Driller's Address 420 SIOUX AVE

BILLINGS MONT LICENSE NO 197

County PARK

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
<u>0</u>	<u>3</u>	<u>TOP SOIL</u>
<u>3</u>	<u>13</u>	<u>GRAVEL</u>
<u>13</u>	<u>50</u>	<u>SILTSTONE</u>
<u>50</u>	<u>54</u>	<u>SANDSTONE</u>
<u>54</u>	<u>60</u>	<u>CLAY SHALE</u>
		<u>WATER @ 55 FT</u>
		<u>WATER LEVEL 19 FT</u>

60 Show exact depth of bottom

48266

* 120 562

Filed this 26th day of

March A. D. 1971

at 2:00 o'clock P. M.

Margaret Ironical
County Clerk and Recorder.

by Lee J. Jr. Deputy.

File No. _____

T. 2SR. 10E

TRIPPLICATE

County Richmond

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Wayne ShepardAddress Shields Rte, Livingston, Mt.Driller Donald C. JonesAddress Livingston, Mont.

Date of Notice of appropriation of groundwater _____

Date well started Sept 14, 1967Date completed 2-28-68Type of well DomesticEquipment used Churn Drill

(Dug, driven, bored or drilled)


(Churn drill, rotary or other)

Water use:

Domestic ☒Municipal ☐Stock ☐Irrigation ☐Industrial ☐Drainage ☐Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 100 lb	24.00	43'			
	1 1/2"					
	8" 100 lb	42'	57'	1 1/2"	57'	57'



Static Water Level for non-flowing well
_____ feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level _____ feet

at _____ gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested _____

Length of Test _____

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

Top of Ground
(Elev. above sea level _____)

Gravel

Clay (sand)

Clay (sand)

Clay (sand)

Lignite or shale and clay

Sandstone

Gravel

Sec. No. 128468

Filed for _____

this 21st day of June

A.D. 1973

at _____

6 NW 1/4 Sec. 5 T. 2S R. 10E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number _____

Driller's Signature _____

53.735

RECEIVED

File No. _____

T. 2S R. 10E

TRIPLICATE

County Park

LOG

DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)


Owner Warren Shepard Address Shields Rte, Livingston, MT.
Driller Donald C. Jones Address Bozeman, Mont.

Date of Notice of appropriation of groundwater _____

Date well started Sept. 8, 1967 Date completed Sept. 25, 1967Type of well Drill Equipment used Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in.	6 7/8" OD	Surface	43'			
	1 7/8"					
	5 1/2" casing	43'	57'	1 1/2"	57'	59'

Static Water Level for non-flowing well 25 feet

Shut-in Pressure for Flowing Well _____

Pumping Water Level 57 feet
at 12 gal. per minute

Discharge in gal. per min. of flowing well _____

How Tested PumpLength of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

Doc. No. 128468 C 104 Sec 5 T 2S R 10E

Filed for _____

this 21st day of June _____A.D. 1975 _____O'clock 7 _____

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number _____

Driller's Signature _____

53,735

Box # 128468

Miled this 21st day of

June A. D. 1923

11:55 A. M.

Marquet (Mailed)

Clerk and Recorder

Edith Jones Secy

Deputy

2u # 2.00

File No.

T 2 S R 10 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DEC 30 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

LLOYD P. SWERNEMAN, JR. and

GUNDA L. SWERNEMAN,

of Shields Route, Livingston,

(Name of Appropriator)


(Address)

(Town)

County of Park

State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 6 T. 2 S. R. 10 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based. domestic, livestock and irrigation3. Date or approximate date of earliest beneficial use; and how continuous the use has been. used by predecessors prior to 1930 and use has been continuous4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 miners inches5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Approximately 60 acres of land situated in Sec. 6, Twp. 2 S., R. 10 E.6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural flow spring7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Box and cover for spring constructed prior to 19308. The depth of water table. Unknown9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Spring with protection walls and cover10. The estimated amount of groundwater withdrawn each year. Unknown11. The log of formations encountered in the drilling of each well if available. Not applicable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of owner

Gunda L. Swerneman

Date October 26, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

Doc # 97947

Filed this 27th day of
December A. D. 1963
at 4:20 o'clock P.M.
by Emmanuel Bannere
County Clerk and Recorder.
Deputy
Fees \$2.00

File No.

T. 25 R. 10 E

DUPLICATE

County Park


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECORDED
JAN 2 1964
STATE ENGINEER

1. Arnold F. Cayser of Post Office Box 771
(Name of Appropriator) (Address) Livingston, (Town) Montana
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NW 1/4 Sec. 6 T. 25 R. 10 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based... is domestic supply, stock water and irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been... for:
No. 1 1914 +
No. 2 1920 +

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gpm

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
1.4 acre + grounds surrounding residence
Owner: Self

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Pumping

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.
No. 1 1914
No. 2 1920 reportedly

8. The depth of water table 40-45 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.
No. 1 Rock excavated
No. 2 8" casing

10. The estimated amount of groundwater withdrawn each year... max. 234000 gallons

11. The log of formations encountered in the drilling of each well if available.
None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
None available

Signature of Owner Arnold F. Cayser

Date December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

17987

Doc. # 98092

Filed this 20th day of

Dec. A. D. 1 963

at 4:40 o'clock P. M.

~~Marshall Marshall~~
County Clerk and Recorder.

Wm. J. Lee
Treasurer

per W. J. Lee

File No. _____

T. 25 R. 10 E

DUPLICATE

County. Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECORDED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. John J. O'Rourke, of Box 170 Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 7 T.25 R.10 E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based House
and stock water

3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been 1941 - Continuous use

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 40 gallons per minute

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
Irrigate lawn surrounding
house.

6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal electric
pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater 1941

8. The depth of water table 60' - 80'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater 140' deep - 6 inch casing
with jet pump - with a 2" and 2 1/4" pipe

10. The estimated amount of groundwater withdrawn each year 400,000 gal per year

11. The log of formations encountered in the drilling of each well if available Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record

Signature of Owner

John J. O'Rourke
Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

17980

98085

Given this 30th day of
December A. D. 1963
at 3:46 o'clock P. M.
Margaret Monreal

County Clerk and Recorder.
By Louanna Bowers
Deputy.
Fee \$2.00

File No.

DUPLICATE

T. 28 R. 10E

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
APR 1 1965

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. J. A. Roth, of Box 118 Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stock, Household, Lawn & Garden use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been November 1st 1949
continues since that date
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Only lawn & garden. Carried about 50x100 ft. Same location as well within 100 ft thereof.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump, Jet type, deep well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Commenced drilling July 22, 1949. Finished drilling August 10, 1949
8. The depth of water table 30 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled well, 6 inch casing. depth 49 feet
10. The estimated amount of groundwater withdrawn each year 36,000 gallons
11. The log of formations encountered in the drilling of each well if available First 10 ft dirt, next 20 ft clay & gravel, next 10 ft sand, then 9 ft gravel & sand.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No records kept at that time.

Signature of Owner J. A. Roth

Date March 28, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

95030

Filed this 28th day of

March A. D. 1962

at 10:05 o'clock A.M.

Margaret Monreal

County Clerk and Recorder.

By Harry Gene Lee Deputy

Fee \$2.00

File No.

T 25 R 10 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 23 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Tom Proffitt, of Shields Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE 1/4 Sec. 7 T 25 R 10E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based A - Stock and House; B - Stockwater

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. A - 1949 - Continuous Use
B - 1947 - Seasonal Use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) A - 20 gallons per minute
B - 5 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
A - Electric Pump
B - Have used Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. A - 1949; B - 1947

8. The depth of water table. A - 40 ft.; B - 85 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. A - 85 ft. depth, 6 inch casing, jet pump with 2 in and 2 1/2 in pipe.
B - 92 ft. depth, 6 inch casing.

10. The estimated amount of groundwater withdrawn each year. A - 108,000 gal. per year
B - Vacant Well without a pump

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Tom Proffitt
Date December 20, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11696

97661

Filed this 20th day of
December A. D. 1963
at 10:45 o'clock P.
Margaret Monice
County Clerk and Recorder
By Emma Bowers
Deputy
Fees \$2.00

File No.

T. 25 R. 10 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Robert Roschl, of Shields Pt. Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

N $\frac{1}{4}$ W Sec. 7 T25 R10E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based household use and garden and grounds
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930
continuous daily use
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6000 gallons per hour
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Robert Roschl
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump
lot 3 block 18
Montague addition
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater no record
8. The depth of water table 30 ft
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 7 inch drilled well
50 ft deep
10. The estimated amount of groundwater withdrawn each year 500,000 gallons
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record no information

Signature of Owner

Robert RoschlDate 12-27-1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

17901

Doc 98002

Filed this 30 day of
Dec. A. D. 1963
at 11:35 o'clock A M.
Margaret Tronical
County Clerk and Recorder.

By _____ Deputy.

fee \$ 2⁰⁰

File No.

T 25 R 106

DUPLICATE

County Yank

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 26 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Donald O. Hughes, of Shields Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Yank State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 7 T.2 R.10

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Domestic and for Irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Oct. 1955 Continuous use from that time on.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 gal. per hour.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
About 1 acre For corn and trees.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
1 in 4 in pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Sept. 1955
8. The depth of water table 35 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 in steel casing to 45 ft. Total depth of well is 100 ft.
10. The estimated amount of groundwater withdrawn each year About 300,000 gals per year.
11. The log of formations encountered in the drilling of each well if available: at top soil. 25 ft. gravel. 10 ft. black sand stone, 25 ft. hard rock, & set no type.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
Land record in book 92 deeds page 345-349 documents 72870.

Signature of Owner Donald O. Hughes

Date Dec 26 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder, Duplicate to the State Engineer, Triplicate to the Montana Bureau of Mines and Geology, and quadruplicate for the Appropriator.

Doc # 97763

Filed this 23rd day of
December A. D. 1963
at 4:25 P. M.
Marquet Monnet

County Clerk and Recorder
Emma Bowers
Deputy
Fees \$2.00

File No.

T 22 R 10E

TRIPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 19 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. John Kruse, of Shields Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Sec. 7 T2S R10E.

2. The beneficial use on which the claim is based Household, garden and stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1958 year drilled, with continuous use since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gals. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof a little garden about 50x50 watered for about 2 hrs. each day in summer. (When it rains no water used.)

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump in basement, keeps 30 gal. tank and 20 gal. full at all times. When pressure goes down to 20 pump starts.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Drilled in 1958.

8. The depth of water table 40 ft. of standing water in well

9. So far as it may be available, the type, size, and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 9 1/2 ft. deep from top of ground with steel casing 6 in. and 3/4 in. plastic pipe, running down to casing to water and a well seal around plastic pipes to keep out dirt or other matter.

10. The estimated amount of groundwater withdrawn each year between 2000 to 3000 gals.

11. The log of formations encountered in the drilling of each well if available Loam, Rock and sand.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act including reference to book and page of any county record 1963 Assessment Book Page A 2, Line 4

Signature of Owner

John Kruse
Date 12-18-63.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Doc # 97628

Filed this 18th day of

Dec. A. D. 1963

at 2:50 P. M.

Margaret Monical
County Clerk and Recorder.

By _____ Deputy

fee \$ 2.00

File No.

T. 2S R. 10E

DUPLICATE

County Park


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Donald Loren Glass, of Shields Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 7 T. 2S R. 10E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.
household
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. July 10, 1957
Daily
4. The amount of groundwater claimed (in miner's inches or gallons per minute) unknown
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
none
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
electric pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.
July 6, 1957 to July 10, 1957
8. The depth of water table 42 Feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. not available
10. The estimated amount of groundwater withdrawn each year not known
11. The log of formations encountered in the drilling of each well if available.
not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
None

Signature of Owner Donald Loren Glass

Date December 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15-186

97949

Filed this 27th day of
December A. D. 1963
at 4:59 o'clock P. M.
Margaret Inoué
County Clerk and Recorder.

By _____ Deputy.

Fee \$2.00

File No.

T. **23** R. **10E**

DUPLICATE


County **PARK**

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. **GARTH MASSEY**, of **BOX 412** **LIVINGSTON**
(Name of Appropriator) (Address) (Town)
County of **PARK** State of **MONTANA**
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 7 T23 R. 10E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based **household**
3. Date or approximate date of earliest beneficial use; and how continuous the use has been **November, 1957**
4. The amount of groundwater claimed (in miner's inches or gallons per minute) **not known**
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof **none**
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal **electric pump**
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater **November 1, 1957 to November 7, 1957**
8. The depth of water table **42 feet**
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater **Drilled well, 6 inch diameter, depth 67 ft.**
10. The estimated amount of groundwater withdrawn each year **unknown**
11. The log of formations encountered in the drilling of each well if available **not available**
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record **no other information**

Signature of Owner

Garth Massey
Date **December 20, 1963**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15481

Doc # 97942

Wrote this 27th day of
December A. D. 1963
at 4:15 o'clock P.
Margaret M.
County Clerk and Recorder.
by Lorinda Bowers
Deputy
Fees \$2.00

File No.

T. 2 S. R. 10 E.

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 3 1963

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Albert Gehlhausen, Secretary of Canyon View Lumber Company, of Livingston,
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



W 2 S 2 1/4 Sec. 7 T. 2 S. R. 10 E.

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.
Log pond.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Well was dug July, 1961.

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 200 gallons per hour.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
No irrigation.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Electric pump with 6" casing.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. July, 1961.

8. The depth of water table. Well 50 feet deep, about 70 feet of water in well.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Electric pump drawing water from a 6" casing, and well is 50 feet deep and there is about 70 feet of water in the well.

10. The estimated amount of groundwater withdrawn each year. 750,000.00 each year.

11. The log of formations encountered in the drilling of each well if available.
No* available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
No records.

Signature of Owner Canyon View Lumber Company,
By Albert Gehlhausen
Date December 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

20700

#98229

Filed this 31 day of
Dec A. D. 1963
at 3:17 o'clock P. M.
Margaret Snoucal
County Clerk and Recorder.

By fee #200 Deputy.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CONTROL
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL MAY 24 1971

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

CITY OF LIVINGSTON WASTE
Owner DISPOSAL PLANT.

Address CITY OF LIVINGSTON,
LIVINGSTON, MO. NT.

Date well started 6/10/70
completed 6/17/70

Type of well Drilled (Dug, driven, bored or drilled)

Equipment used cable tools. (Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☐
Well near sewer disposal plant

*Describe for caretaker home.

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5 5/8" O.D. 17# per ft.	0	62'	1" X 3/8" slots.	23' 6"	24' 6"



NE 1/4 SW 1/4 Sec. 7
T. 28 N. R. 10 E

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.
VAN DYKEN DRILLING CO.

Driller's Signature *Van Dyken*

Driller's Address BOZEMAN, MONTANA

LICENSE NO. 1

County PARK

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	2	Top soils.
2	25	Sands and gravels. Water @ 16'
25	28	Claybound sand and gravels and boulders. Water.
28	49	Clays. Dry.
49	62'	Hard sandstone. East of the water.

62 Show exact depth of bottom

418511

#121028

Filed this 21st day of

May A.D. 1971

at 2:36 clock P.

Margaret Monreal

County Clerk and Recorder.

By Larry J. [Signature]
Chief Deputy.

No fee

County.....**Yark**

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Gene Buel

Address Old Chapel Park Rd.

Livingston Mont.

Date well started Oct 20, 197

completed Oct 29 1971

For Administrator's Use

File 124150; April 12, 1928

12:00... после

IGW 1

Type of well Drilled

(Nag, driven, bored or drilled)

Equipment used _____ cable tool

(Chain drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

• Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size and End Use	Size and Weight of Canister	PERFORATIONS		
		From (Feet)	To (Feet)	
7"	19 lb 5/8			
OD		49	65	slots 48 65
Plastic Liner		1/8" x 1 foot long		

Static water level 20 ft.
Pumping water level 45 ft.
at 20 gallons per minute,
measured 60 minutes after pumping
began.

*Measured from ground level.

Well developed by **hailer & pign**

for 2billion hours. I hr pump

Power 320 rot Pump 3/4 size

Remarks: (Gravel pecking, cementing, packers, type of shutoff)

Lot 12 Blk 14 Mortgage Co
12 100 100

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Harold R. HullertDriller's Address **111 one Boxman, Montana**

Hulbert Drilling

LICENSE NO. 49

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

From (Feet)	To (Feet)	
0	1	Gravel
1	3	soil
3	11	rock & sand
11	20	rock and sand
20	26	Clay & rock
26	40	gravel
40	54	sand rock & small amount of water
54	55	Fine sand & water
55	68	sand rock & water

22 Show exact depth of bottom

50,000

124150

Issued this 17th day of April A. D. 1912
12.00 P. M. noon
Margaret Monahan
County Clerk and Receiver
By Wm. H. H. H.
Chief Deputy
Fee \$ 2.00

File No.

T. 2 S. R. 10 E.

QUADRUPLICATE


County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Walter Anderson, of Livingston, (Town)
(Name of Appropriator) (Address)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



237/4 Sec. 7 T23 R06

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. domestic and irrigation.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. June, 1951 and used continuously since.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 200 gallons per day.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 2 acres, in NE 1/4 of NW 1/4 of Section 7, T23, R06.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. June, 1951.
8. The depth of water table. 92 feet.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 5 inch casing for 30 feet, and rock and gravel for 40 feet.
10. The estimated amount of groundwater withdrawn each year. 75,000.00 gallons.
11. The log of formations encountered in the drilling of each well if available. No log.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No record.

Signature of Owner Walter Anderson

Date October 12, 1963.

These copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

For more information all questions. If not applicable, so state, otherwise the form will be returned.

This form is to be filed with the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Land Management; and one copy to be retained for the Appropriator.

File No.

T. 2 So., R. 10 East.

QUADRUPLICATE


County Park County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Walter Anderson, of Livingston,
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Section 2 T2S R10E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based
domestic and irrigation

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been
June, 1961 and used continuously since

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 200 gallons per day

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
2 acres, in NW 1/4 of Section 4, T2S, R10E

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater June, 1961

8. The depth of water table 31 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater 5 inch casing for 30 feet, and rock and gravel
for 40 feet

10. The estimated amount of groundwater withdrawn each year 75,000.00 gallons

11. The log of formations encountered in the drilling of each well if available

No log

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record

No records

Signature of Owner

Walter Anderson

Date December 12, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology; and Quaduplicate for the Appropriator.

T. 26 R. 10 E.

County PARK

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

WATER WELL LOG

STATE ENGINEER

N

	7	
	X	

Owner BALEFORD LEON NEAD Address SHIELDS ROUTE

Driller ? Address ?

Date Started ? Date Completed ?

Location: Sec. 7 T. 25 R. 10E 1/4 sec. TRACT 8

Type of well DRIILLED Equipment used ?
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: ? ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. ? to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations ?

Static Water level, for non-flowing well: ? feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

DRIILLED ABORT 1946

(over)

Doc. # 90620

Filed this 29th day

December 1961

at 4:16 P.M.

Margaret Monical

County Clerk and Recorder

By Betty Jane Carl Deputy

Fee - 1.00 pd.

T. 2 S. R. 10 E.

County PARK

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
OCT 12 1961

WATER WELL LOG Sewage STATE ENGINEER

Owner City of Livingston, Municipal Address Livingston, Mont.
Water Works

Driller I Van Dyken Drilling Co. Address Bozeman, Montana

Date Started Oct. 9, 1960 Date Completed Oct. 12, 1960

Location: Sec. 7 T. 2 S. R. 10 E. 1/4 sec. NE 1/4, SW 1/4

Type of well Drilled Equipment used Cable Tool
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☒ Drainage ☐ Other: _____

Casing: 0 ft. to 53 ft. Type Steel Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 30 to ft. 34 Ft. _____ to ft. _____

Type of screen or perforations 3/8" slots, 6" to 8" long.

Static Water level, for non-flowing well: 3 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 18'-6" feet at 100 gal. per min.

How tested: Test Pumped

Length of test 2 1/2 Hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

T 25 R 10ECounty DECEIVED

JAN 2 1961

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

Sec 7

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

WATER WELL LOG
Owner J. H. Counts Address Shields St. Livingston, Mont.Driller Chase Address Chase ParkDate Started _____ Date Completed 1944Location: Sec. 7 T 25 R 10E 1/4 Sec. NWType of well Drilled *Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)Water use: Domestic ☒ Municipal _____ Stock ☒ Irrigation ☒

Industrial _____ Drainage _____ Other: _____

Casing: 0' ft. to 32 ft. Type Steel Size 6"Casing: 32 ft. to 42 ft. Type Iron Size Iron

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 32 to ft. 42 Ft. _____ to ft. _____Type of screen or perforations IronStatic Water level, for non-flowing well: 29 ft. feet.Shut-in pressure for flowing well: 65# lb./sq.in. on: July 1st 1961
(date)Pumping water level 25 feet at 245 gal. per min.How tested: Shave Run 2 3/4" hoses, continually forLength of test 3 months also house well water

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Test water 24 ft.

Log of Well

Depth, feet	Description of Material Drilled
From _____ to _____	<u>Iron</u>
_____ to _____	_____
_____ to _____	_____
_____ to _____	_____

Dec. # 90608

Filed this 29th day of

December A. D. 1961

at 2:51 P. M.

Marquette Michigan

County Clerk and Recorder.

By Wm. J. Lee Deputy.

Lee-100 pl.

Doc. No. 121203
 GW 2 Filed for record
 this 9 day of June
 File No. A.D. 19 7 at 4:57
 o'clock P M
 DUPLICATE

Approved Stock Form—State Publishing Co., Helena, Montana—48557

T. 25 R. 10E

County Park

LOG

Top of Ground
 (Elev. above sea level.....)

0' 2' Soils.
 2' 11' Large boulders.
 11' 12' Clean gravels.
 Water.
 12' 16' Clatbound gravels.
 Wet.
 16' 34' Clean sand and
 gravels.
 Water.

T.D. 34'

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
 Appropriation by Means of Well
 DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner James Murray
DR. (JIM) MURRAY Address LIVINSTON, MONT.

Driller VAN DYKEN DRILLING CO. Address BOZEMAN, MONT.

Date of Notice of appropriation of groundwater NONE


Date well started 7/3/70 Date completed 7/7/70

Type of well Drilled Equipment used Cable tools.
 (Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
 Industrial ☐ Drainage ☐ Other ☐ Vet. hospital

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8" O.D. 17# Tested.	0'	34'	none		



NE 1/4 Sec. 8, T.25 S. R.10E
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 9'6" feet.

Shut-in Pressure for Flowing Well none

Pumping Water Level 11'6" feet
 at 40 gal. per minute.

Discharge in gal. per min. of flowing well none

How Tested Bailer

Length of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) Puddled clay and drill cuttings shutoff outside of casing

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

LICENSE NO. 1

Driller's License Number

Boyd Van Dyken
 Driller's Signature.

#

121203

Filed 1905 7th day of

June A.D. 1971

4:27 P.M.


Margaret Maxwell

Clerk and Recorder

by Harry James Lee

Chief Deputy

\$2.00



T. 28. R. 10 E.

County Park

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner CHRIS KARELL Address Livingston Montana

Driller Address

Date Started Sept. 15, 1930 Date completed Oct, 1930

Location: Sec. 12 T. 2 S. R. 10 E. 1/4 sec. SE 1/4 - SE 1/4

Type of well Dug Equipment used p. 14 above - single jack
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐Industrial ☐ Drainage ☐ Other:

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 14 ft. long to f. Ft. to ft.

Type of screen or perforations brass screen

Static Water level, for non-flowing well: 16 ft. feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: 8 feet at 10 gal. per min.

How tested: by using cattle tank water

Length of test 1/2 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well is packed out with big blocks of sand rocks.

(over)

Log of Well

[illegible]

76753

RECEIVED

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

T. 2 So. R. 10 E
County Park

Owner CHRIS KARELL Address Livingston, Montana

Driller Address

Date Started August 1920 Date Completed Aug 1920

Location: Sec. 12 T. 2 So. R. 10 E 1/4 sec. SE 1/4 - SE 1/4

Type of well Dug Equipment used pick shovel & stone drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other:

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations

Static Water level, for non-flowing well: 12 ft. feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: 10 to 12 ft. feet at 20 gal. per min.

How tested: with water pump system

Length of test: 20 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

well is cased out with sand rock and has cement
well all around top

(over)

#76754

at this 16 day of
January in the year 1958
1:35 P.M.
Margaret Monice
County Clerk and Recorder.
By Deputy.


T. 2 South R. 10 East
County Parks

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
MAY 3 1961

WATER WELL LOG

STATE ENGINEER



Owner Chris Karell Address Livingston Montana
Driller Nan Dyken Drilling Co. Address Bozeman Mont.
Date Started March 13/61 Date Completed March 18/61
Location: Sec 12 T 2S R 10E 1/4 sec SE 1/4 SE 1/4 SEC. 12

Type of well Drilled Equipment used Cable tools
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 4 ft. to 58' 7" ft. Type preinst. steel Size 6 5/8 O.D. 17# P.E.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations none

Static Water level, for non-flowing well: 10 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 25' drawdown feet at 30 G.P.M. gal. per min.

How tested: Bailer

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0-6		top soils
6-20		clay,
20-28		clay, gravel/mixed; hard.
28-30		tight sand.
30-50		blue shale.
50-58		hard shale.
58-60		shaler
60-77		Eagle sandstone (Dry)
77-79		Eagle sandstone (water)

File No.

T. 28 R. 10E

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

County Park


RECEIVED
JAN 3 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Walter A. Rahn, of Box 894 Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 13 T. 28 R. 10E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- A - NW 1/4 NW 1/4 SW 1/4
B - NE 1/4 NW 1/4 SW 1/4
C - NE 1/4 SW 1/4 SW 1/4

2. The beneficial use on which the claim is based A and B, Stockwater springs; C, Water well for stockwater

3. Date or approximate date of earliest beneficial use; and how continuous the use has been A and B, 1890 and continuous use; C, Well drilled in June of 1961, has not been used up to date

4. The amount of groundwater claimed (in miner's inches or gallons per minute) A - 20 gallons per minute; B - 20 gallons per minute; C - 30 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof A - B - or C are not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal A and B are gravity flow springs; C - Drilled well, cased 16 feet; does not have pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater A and B are surface water springs; C - Well drilled in June of 1961 and hasn't been needed for stock water.

8. The depth of water table A and B - Surface Water; C - 28 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater A - Boxed spring with pipe leading to wooden tanks; B - Boxed spring with pipe leading to tanks; C - 64 foot well cased for 16 feet with sandstone formation.

10. The estimated amount of groundwater withdrawn each year A - 4,00,000 gallons; B - 500,000 gallons

11. The log of formations encountered in the drilling of each well if available A and B not applicable; C - official log formation not available; however, sandstone formation

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any court record None

Signature of Owner Walter Rahn

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

20779

98208

Filed this 31st day of
December 1963
at 252 P. M.
Margaret Monice
County Clerk and Recorder.
Emma Barvers
Deputy.
Fee \$2.00

File No.

T. 2S R. 10E

DUPLICATE


County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. R. J. Michels, of 418 South I Street, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 18 T. 2S R. 10E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based. Irrigation well
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1958 - continuous use
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 100 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Lawn use at 418 South I Street, Livingston, Montana, by R. J. Michels
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric Pump located at 418 South I Street, Livingston
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1958
8. The depth of water table. 5 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6 feet hand dug well with electric pump and pipe
10. The estimated amount of groundwater withdrawn each year. 75,000 gallons
11. The log of formations encountered in the drilling of each well if available. Gravel
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner R. J. MichelsDate December 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15377

97856

Filed this 27 day of

Dec A. D. 1963

at 2:10 o'clock P. M.

Margaret Monical
County Clerk and Recorder.

as fee \$3.00 Deputy

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

CITY OF LIVINGSTON

Owner **TEST WELL NO. 3**

Address **CITY OF LIVINGSTON**

LIVINGSTON, MONTANA

Date well started **3/5/71**

completed **3/16/71**

For Administrator's Use	
File	12.10.33
	May 21, 1971
	2:41 PM
GW 1	

Type of well **Drilled**

(Dug, driven, bored or drilled)

Equipment used **Cable tools**

(Cable drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☒ Garden/Lawn ☐


Test well No. 3 located end of 8th street.

*Describe **8th street city park.**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8" O.D. 17# per ft.	0	47	1 1/2" slots.	27	35



Static water level **7** ft.*
Pumping water level **9** ft.*
at **90** gallons per minute,
measured **30** minutes after pumping began.

*Measured from ground level.

Well developed by **Air**

for **2** hours.

Power **gas** Pump **200** HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Drill cuttings shutoff outside of casing.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

VAN DYKEN DRILLING CO.

Driller's Signature **Albert Van Dyken**

Driller's Address **BOZEMAN, MONTANA**

LICENSE NO. **1**

County **PARK**

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	2	Top soil.
2	15	Sands, gravels and boulders. Little water @ 11' Standing water level is 7'
15	23	Clean sand and pea size gravels. Water.
23	29	Fine silty sands. Water.
29	30	Coarse sands. Water.
30	31	Coarse gravels. lots of water.
31	32	Fine sands, 45 GPM. with 6' drawdown.
32	34	Tight fine clean sands.
34	41	Gray hard shales. Dry.
41	41.6	Coarse sands. and clean. 45 GPM. with 3' of drawdown.
41.6	47	Hard blue shales. Dry.
		Pacific yield of 45 GPM. per ft. of drawdown.

47 Show exact depth of bottom

48516

121033

Added this 21st day of

May A.D. 1971

2:41 o'clock P.M.

Marquet Moncel

Off. Clerk and Recorder.

Letty Gene Lee

Chief Honolulu

no fee